

SAFETY FOOTWEAR 2024 CATALOGUE



GAUTENG (HO)

ELANI HENDRICKS
DIRECTOR

082 659 1518

elani@stormtank.net

PO BOX 1849, HEIDELBERG, 1438

WEBSITE: STORMTANK.NET

STORM TANK
CORPORATE (PTY) LTD

REG nr: 2016/416079/07

VAT nr: 4320275375

CSD NR: MAAA0811091

DIRECTORS:

THANDILE MEYISWA

ELANI HENDRICKS

JAMES HENDRICKS



STORMTANK

QUALITY. AFFORDABILITY. SERVICE.

Come and visit us in-store at
Phoenix Fasteners
40 JACOBS STREET, HEIDELBERG



PHOENIX
Fasteners and Supplies
Trust Through Excellence

'EXTRAORDINARY'

*The difference is just
that little extra*

altitude[®]
WORKWEAR



barron



SAFETY WEAR



SAFETY FOOTWEAR



altitude^o WORKWEAR



FOOTWEAR

Our **FOOTWEAR** is engineered to meet the **HIGHEST QUALITY STANDARDS** and ensure that every step you take is backed by **COMFORT, SAFETY** and **RELIABILITY**.



ALT 1905 CRAFTSMAN CHELSEA BOOT STEEL TOE CAP

Material genuine split leather upper • safe dust density PU
Description CE EN ISO 20345 approved • steel toe cap with impact protection of 200 joules • safety 2nd toe reinforced strap • abrasion resistant • heat resistant to 90 degrees Celsius • oil resistant • slip resistant • shock absorption heel • wider fit for added comfort
Colours
UK Size 2-12



EASY PULL ON
WORKED LOOP



FOOTWEAR




ALT 1901 SHIELD GUMBOOT NON-STEEL TOE CAP

Material PVC
Description non-slip toe cap • oil resistant • acid resistant • slip resistant • CE Certified
Colours
UK Size 4-10



FOOTWEAR



ALT 1902 POWER GUMBOOT STEEL TOE CAP

Material PVC
Description abrasion cap with impact protection of 200 joules • heat resistant to 90 degrees Celsius • oil resistant • acid resistant • slip resistant • CE Certified
Colours
UK Size 4-10



ALT 1900 HYGIENE GUMBOOT NON-STEEL TOE CAP

Material PVC / Nitrile combination upper and sole
Description non-slip toe cap • slip resistant • shock and heat resistant • acid resistant • CE Certified
Colours
UK Size 6-12



FOOTWEAR



NEW FT-AL-01 FORCE COMBAT BOOT

Fabric upper: breathable canvas • safe polyurethane
Description knock-up • heat shield toe cap
Colours
UK Size 4-10



NEW FT-AL-02 TRACE UTILITY SOCKS

Fabric 53% polypropylene, 20% viscose, 10% polyamide, 2% elastane
Description padded sole
Colours
Size S-L

FOOTWEAR

altitude



ALT 1903 UNISEX TRENDI CANVAS SNEAKER

Material 80% cotton, 20% polyester canvas
Description canvas sneaker with rubber sole and laces • tear-resistant stitching • cotton laces and lining • padded insole • elastic eyelets
Colours
UK Size 2-12



ALT 1903 & ALT 1910 BOTH HAVE OPTIONS: MARINE, PINK, BULLO, DENIM & NAVY
BLUE DENIM **NAVY**

ALT 1910 UNISEX RETRO HIGH TOP CANVAS SNEAKER

Material 80% cotton, 20% polyester canvas
Description high-top canvas sneaker with rubber sole and laces • tear-resistant stitching • cotton laces and lining • padded insole • elastic eyelets
Colours
UK Size 2-10



FOOTWEAR

PRICE INCLUDES DIGITAL TRANSFER. SEE PAGE 9 FOR DETAILS.



NEW FO-AL-01A UNISEX COMFORT SLIP-ON SNEAKER

Fabric 100% polyester
Description knit-fabric slip-on sneaker • padded insole • comfort footbed
Colours
UK Size 2-10



FOOTWEAR

PRICE INCLUDES DIGITAL TRANSFER. SEE PAGE 9 FOR DETAILS.

Footwear

TOUGH & RUGGED FOR EVERY ENVIRONMENT.

B barron

Armour Safety Shoe

SF002

Features

- SANS SANS 2014 approved safety shoe
- Anti static, easily removable inner sole
- Oil resistant
- Slip resistant
- Shock absorbent
- This durable shoe also has a steel toe cap with impact protection of 200 Joules
- Heat resistant up to 90°C
- This item is not waterproof and not suitable to be used in wet conditions
- Genuine leather upper and dual density PU sole

Available in

men 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24 25 26 27 28 29 30 31 32 33 34 35 36 37 38 39 40 41 42 43 44 45 46 47 48 49 50 51 52 53 54 55 56 57 58 59 60 61 62 63 64 65 66 67 68 69 70 71 72 73 74 75 76 77 78 79 80 81 82 83 84 85 86 87 88 89 90 91 92 93 94 95 96 97 98 99 100



Crusader Safety Shoe

SF005

Features

- CE EN ISO20345: 2011 approved
- Anti static, inner sole
- Oil resistant
- Slip resistant
- Shock absorbent
- Genuine upper leather, microfibre and PU/PU sole
- Inflatable piping
- Halfmoon front
- Double top stitching
- Suede backing of the inner heel
- Steel toe cap with impact protection of 200 Joules
- Heat resistant up to 90°C

Available in

men 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24 25 26 27 28 29 30 31 32 33 34 35 36 37 38 39 40 41 42 43 44 45 46 47 48 49 50 51 52 53 54 55 56 57 58 59 60 61 62 63 64 65 66 67 68 69 70 71 72 73 74 75 76 77 78 79 80 81 82 83 84 85 86 87 88 89 90 91 92 93 94 95 96 97 98 99 100



Occupational Shoe

SF007

Features

- Embossed side panel
- CE EN ISO20345: 2011 approved occupational lightweight shoe
- Single density PU Sole
- Water resistant
- Anti static
- Anti slip
- Anti bacterial inside
- Oil resistant
- Breathable
- Perfect for chefs, hospitals and front line staff
- Microfibre upper and higher heel

Available in

men 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24 25 26 27 28 29 30 31 32 33 34 35 36 37 38 39 40 41 42 43 44 45 46 47 48 49 50 51 52 53 54 55 56 57 58 59 60 61 62 63 64 65 66 67 68 69 70 71 72 73 74 75 76 77 78 79 80 81 82 83 84 85 86 87 88 89 90 91 92 93 94 95 96 97 98 99 100



Duty Sock

DU-SOC

Features

- Barron branding and size on sock
- Contrast heel and toe
- Available in 2 sizes
- Casual sock for everyday wear
- Hologuard Cotton/Polyester/Spandex

Available in

men 40 42 44



black navy



Commander Sock

CO-SOC

Features

- Double cushion comfort sole
- Anti static silver coated cotton stripes are knitted into the sock
- Treated with Odorguard for long lasting freshness and antibacterial application
- 70% Cotton, 26% Nylon, 2% Antistatic Silver, 2% Elastane

Available in

men 40 42 44



navy black



Defender Safety Boot

SF001

Features

- SANS SANS 2014 approved safety boot
- Anti static, easily removable inner sole
- Oil resistant
- Slip resistant
- Shock absorbent
- This robust boot also has a steel toe cap with impact protection of 200 Joules
- Heat resistant up to 90°C
- This item is not waterproof and not suitable to be used in wet conditions
- Genuine leather upper and dual density PU sole

Available in

men 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24 25 26 27 28 29 30 31 32 33 34 35 36 37 38 39 40 41 42 43 44 45 46 47 48 49 50 51 52 53 54 55 56 57 58 59 60 61 62 63 64 65 66 67 68 69 70 71 72 73 74 75 76 77 78 79 80 81 82 83 84 85 86 87 88 89 90 91 92 93 94 95 96 97 98 99 100



Farming Gumboot

FEM-GUM

Features

- Made from PVC
- Reinforced PVC toe cap support
- Ankle support reinforces the Achilles tendon area for additional support
- Water resistance
- Slip resistance on dry surfaces

Available in

men 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24 25 26 27 28 29 30 31 32 33 34 35 36 37 38 39 40 41 42 43 44 45 46 47 48 49 50 51 52 53 54 55 56 57 58 59 60 61 62 63 64 65 66 67 68 69 70 71 72 73 74 75 76 77 78 79 80 81 82 83 84 85 86 87 88 89 90 91 92 93 94 95 96 97 98 99 100



Chelsea Safety Boot

SF003

Features

- CE EN ISO20345: 2011 approved safety boot
- Anti static, removable inner sole
- Oil resistant
- Slip resistant
- Shock absorbent
- Steel toe cap with impact protection of 200 Joules
- Heat resistant up to 90°C
- Genuine leather upper and dual density PU sole

Available in

men 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24 25 26 27 28 29 30 31 32 33 34 35 36 37 38 39 40 41 42 43 44 45 46 47 48 49 50 51 52 53 54 55 56 57 58 59 60 61 62 63 64 65 66 67 68 69 70 71 72 73 74 75 76 77 78 79 80 81 82 83 84 85 86 87 88 89 90 91 92 93 94 95 96 97 98 99 100



black

brown

Protector Boot

SF004

Features

- Anti static, removable inner sole
- Oil resistant
- Slip resistant
- Shock absorbent
- Durable shoe
- Anti static, oil and oil resistant finish
- Dual density PU sole

Available in

men 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24 25 26 27 28 29 30 31 32 33 34 35 36 37 38 39 40 41 42 43 44 45 46 47 48 49 50 51 52 53 54 55 56 57 58 59 60 61 62 63 64 65 66 67 68 69 70 71 72 73 74 75 76 77 78 79 80 81 82 83 84 85 86 87 88 89 90 91 92 93 94 95 96 97 98 99 100



Hunter Vellie Shoe

V-HUN

Features

- Durable rubber sole
- Broad fitting
- Leather insole
- Suede leather heel patch on inner shoe
- Comfortable fit for everyday wear
- Lace up shoe
- Suede leather outer

Available in

men 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24 25 26 27 28 29 30 31 32 33 34 35 36 37 38 39 40 41 42 43 44 45 46 47 48 49 50 51 52 53 54 55 56 57 58 59 60 61 62 63 64 65 66 67 68 69 70 71 72 73 74 75 76 77 78 79 80 81 82 83 84 85 86 87 88 89 90 91 92 93 94 95 96 97 98 99 100



black

brown

tan



Canvas Lace Up Shoe

SF006

Features

- Slip resistant on dry surfaces
- Hubbed heel cap
- Hubbed sole
- Twin needle stitching
- Padded inner sole
- 100% Cotton canvas fabric
- Machine washable
- Ideal for a working environment that doesn't require a steel toe cap
- Casual enough to be used as a promo shoe

Available in

men 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24 25 26 27 28 29 30 31 32 33 34 35 36 37 38 39 40 41 42 43 44 45 46 47 48 49 50 51 52 53 54 55 56 57 58 59 60 61 62 63 64 65 66 67 68 69 70 71 72 73 74 75 76 77 78 79 80 81 82 83 84 85 86 87 88 89 90 91 92 93 94 95 96 97 98 99 100





B
barron

JCB
SAFETY FOOTWEAR

CHELSEA BROWN

SB-SRC

INCLUDES ONE PAIR FREE WORK GLOVES



STYLE CODE: JCB027
SANS 20045: 2004 & CE EN ISO 20345: 200 APPROVED

EXTRA THICK SUPERIOR QUALITY FULL GRAIN CRAZY HORSE LEATHER	ELASTICATED SIDE PANEL & PULL TABS FOR EASY DONNING & DOFFING
JCB ECONOMIC DUAL SOLE: LIGHT-WEIGHT DUAL DENSITY PULP	SLIP RESISTANT
STEEL TOE CAP	ULTRA COMFORT PERFORMANCE INNER SOLE

AVAILABLE IN SIZES 3-13

HOLTON HIKER HONEY NUBUCK

SB-SRA

INCLUDES ONE PAIR FREE WORK GLOVES



STYLE CODE: JCB003
SANS 20045: 2004 & CE EN ISO 20345: 200 APPROVED

GENUINE HONEY NUBUCK LEATHER

JCB ECONOMIC DUAL SOLE: LIGHT-WEIGHT DUAL DENSITY PULP

STEEL TOE CAP

QUICK RELEASE & HEXAGON EYELETS

COMFORT PADDED ANKLE COLLAR

BELLOWED TONGUE TO SEAL OUT DEBRIS

SLIP RESISTANT

ULTRA COMFORT PERFORMANCE INNER SOLE

AVAILABLE IN SIZES 3-13

SB-SRC

INCLUDES ONE PAIR FREE WORK GLOVES



STYLE CODE: JCB000
SANS 20045: 2004 & CE EN ISO 20345: 200 APPROVED

EXTRA THICK SUPERIOR QUALITY FULL GRAIN CRAZY HORSE LEATHER

JCB ECONOMIC DUAL SOLE: LIGHT-WEIGHT DUAL DENSITY PULP

STEEL TOE CAP

QUICK RELEASE & HEXAGON EYELETS

COMFORT PADDED ANKLE COLLAR

BELLOWED TONGUE TO SEAL OUT DEBRIS

SLIP RESISTANT

ULTRA COMFORT PERFORMANCE INNER SOLE

AVAILABLE IN SIZES 3-13

HOLTON HIKER BROWN

CHELSEA BLACK

SB-SRC

INCLUDES ONE PAIR FREE WORK GLOVES



STYLE CODE: JCB006
SANS 20045: 2004 & CE EN ISO 20345: 200 APPROVED

PREMIUM FULL GRAIN LEATHER

JCB ECONOMIC DUAL SOLE: LIGHT-WEIGHT DUAL DENSITY PULP

STEEL TOE CAP

ELASTICATED SIDE PANEL & PULL TABS FOR EASY DONNING & DOFFING

SLIP RESISTANT

ULTRA COMFORT PERFORMANCE INNER SOLE

AVAILABLE IN SIZES 3-13

SB-SRA

INCLUDES ONE PAIR FREE WORK GLOVES



STYLE CODE: JCB066
SANS 20045: 2004 & CE EN ISO 20345: 200 APPROVED

GENUINE NUBUCK LEATHER

JCB ECONOMIC DUAL SOLE: LIGHT-WEIGHT DUAL DENSITY PULP

STEEL TOE CAP

ELASTICATED SIDE PANEL & PULL TABS FOR EASY DONNING & DOFFING

SLIP RESISTANT

ULTRA COMFORT PERFORMANCE INNER SOLE

AVAILABLE IN SIZES 3-13

CHELSEA TAN NUBUCK

HOLTON HIKER BLACK NUBUCK

SB-SRA

INCLUDES ONE PAIR FREE WORK GLOVES



STYLE CODE: JCB003
SANS 20045: 2004 & CE EN ISO 20345: 200 APPROVED

GENUINE NUBUCK LEATHER

JCB ECONOMIC DUAL SOLE: LIGHT-WEIGHT DUAL DENSITY PULP

STEEL TOE CAP

QUICK RELEASE & HEXAGON EYELETS

COMFORT PADDED ANKLE COLLAR

BELLOWED TONGUE TO SEAL OUT DEBRIS

SLIP RESISTANT

ULTRA COMFORT PERFORMANCE INNER SOLE

AVAILABLE IN SIZES 3-13

SB-SRC

INCLUDES ONE PAIR FREE WORK GLOVES



STYLE CODE: JCB004
SANS 20045: 2004 & CE EN ISO 20345: 200 APPROVED

PREMIUM FULL GRAIN LEATHER

JCB ECONOMIC DUAL SOLE: LIGHT-WEIGHT DUAL DENSITY PULP

STEEL TOE CAP

QUICK RELEASE & HEXAGON EYELETS

COMFORT PADDED ANKLE COLLAR

BELLOWED TONGUE TO SEAL OUT DEBRIS

SLIP RESISTANT

ULTRA COMFORT PERFORMANCE INNER SOLE

AVAILABLE IN SIZES 3-13

HOLTON HIKER BLACK

OXFORD SHOE

SB-SRC



STYLE CODE: JCB000
SANS 20045: 2004 & CE EN ISO 20345: 200 APPROVED

PREMIUM FULL GRAIN LEATHER

JCB ECONOMIC DUAL SOLE: LIGHT-WEIGHT DUAL DENSITY PULP

STEEL TOE CAP

COMFORT PADDED ANKLE COLLAR

SLIP RESISTANT

ULTRA COMFORT PERFORMANCE INNER SOLE

AVAILABLE IN SIZES 3-13

SB-SRC



STYLE CODE: JCB000
SANS 20045: 2004 & CE EN ISO 20345: 200 APPROVED

FULL GRAIN BARTON LEATHER

JCB ECONOMIC DUAL SOLE: LIGHT-WEIGHT DUAL DENSITY PULP

STEEL TOE CAP

QUICK RELEASE & HEXAGON EYELETS

COMFORT PADDED ANKLE COLLAR

BELLOWED TONGUE TO SEAL OUT DEBRIS

SLIP RESISTANT

REMOVABLE MOLDED INNER SOLE

BACK COLLAR REFLECTOR FOR INCREASED VISIBILITY

AVAILABLE IN SIZES 3-13

CHUKKA

HIKER HRO BLACK

SB-SRC-HRO

INCLUDES ONE PAIR FREE WORK GLOVES



STYLE CODE: JCB000
SANS 20045: 2004 & CE EN ISO 20345: 200 APPROVED

PREMIUM FULL GRAIN LEATHER

EXCELLENT ABRASION & 200° HEAT RESISTANT PULVERISER

COMPOSITE TOE CAP

QUICK RELEASE & HEXAGON EYELETS

COMFORT PADDED ANKLE COLLAR

BELLOWED TONGUE TO SEAL OUT DEBRIS

SLIP RESISTANT

ULTRA COMFORT PERFORMANCE INNER SOLE

AVAILABLE IN SIZES 3-13

HIKER HRO BROWN

SB-SRC-HRO

INCLUDES ONE PAIR FREE WORK GLOVES



STYLE CODE: JCB000
SANS 20045: 2004 & CE EN ISO 20345: 200 APPROVED

EXTRA THICK SUPERIOR QUALITY FULL GRAIN CRAZY HORSE LEATHER

JCB ECONOMIC DUAL SOLE: EXCELLENT ABRASION & 200° HEAT RESISTANT PULVERISER

COMPOSITE TOE CAP

QUICK RELEASE & HEXAGON EYELETS

COMFORT PADDED ANKLE COLLAR

BELLOWED TONGUE TO SEAL OUT DEBRIS

SLIP RESISTANT

ULTRA COMFORT PERFORMANCE INNER SOLE

AVAILABLE IN SIZES 3-13

JOGGER BLACK

SB-SRA SB-SRA



STYLE CODE: JCB099
SANS 30045: 2014 & CE EN ISO 20345: 2004 APPROVED

CUT RESISTANT FLY KNIIT MESH UPPER	SLIP RESISTANT
ULTRA-LIGHT EVA/RUBBER OUTSOLE FOR MAXIMUM RESPONSIVE CUSHIONING & SUPERIOR COMFORT	ULTRA COMFORT PERFORMANCE INNER SOLE
STEEL TOE CAP	AVAILABLE IN SIZES 3-12



STYLE CODE: JCB098
SANS 30045: 2014 & CE EN ISO 20345: 2004 APPROVED

CUT RESISTANT FLY KNIIT MESH UPPER	SLIP RESISTANT
ULTRA-LIGHT EVA/RUBBER OUTSOLE FOR MAXIMUM RESPONSIVE CUSHIONING & SUPERIOR COMFORT	ULTRA COMFORT PERFORMANCE INNER SOLE
STEEL TOE CAP	AVAILABLE IN SIZES 3-12

JOGGER WHITE

SUPREME HI TOP BLACK

SIP-SRC-ESD SIP-SRC-ESD



STYLE CODE: JCB093
SANS 30045: 2014 & CE EN ISO 20345: 2004 APPROVED

BLACK SANDWICH MESH KNIIT MESH WITH KPU	KEYLAR MIDDLESOLE FOR ANTI PENETRATION
LIGHT WEIGHT EVA/RUBBER OUTSOLE FOR SUPERIOR COMFORT	REMOVABLE COMFORT INNER SOLE
METAL-FREE WITH CARBON TOE CAP	AVAILABLE IN SIZES 3-12
ESD - ELECTROSTATIC DISCHARGE	

SUPREME HI TOP WHITE



STYLE CODE: JCB094
SANS 30045: 2014 & CE EN ISO 20345: 2004 APPROVED

BLACK SANDWICH MESH KNIIT MESH WITH KPU	KEYLAR MIDDLESOLE FOR ANTI PENETRATION
LIGHT WEIGHT EVA/RUBBER OUTSOLE FOR SUPERIOR COMFORT	REMOVABLE COMFORT INNER SOLE
METAL-FREE WITH CARBON TOE CAP	AVAILABLE IN SIZES 3-12
ESD - ELECTROSTATIC DISCHARGE	

GLIDE BLACK

SIP-SRC-ESD SIP-SRC-ESD



STYLE CODE: JCB095
SANS 30045: 2014 & CE EN ISO 20345: 2004 APPROVED

BLACK RIP TEK TEXTILE FABRIC	KEYLAR MIDDLESOLE FOR ANTI PENETRATION
LIGHT WEIGHT FLEX FOAM DUAL DENSITY PULPU SOLE FOR SUPERIOR COMFORT	LYCRA GLIDE COMFORT INNER SOLE
METAL-FREE WITH CARBON TOE CAP	AVAILABLE IN SIZES 4-12
ESD - ELECTROSTATIC DISCHARGE	



STYLE CODE: JCB096
SANS 30045: 2014 & CE EN ISO 20345: 2004 APPROVED

BLACK RIP TEK TEXTILE FABRIC	KEYLAR MIDDLESOLE FOR ANTI PENETRATION
LIGHT WEIGHT FLEX FOAM DUAL DENSITY PULPU SOLE FOR SUPERIOR COMFORT	LYCRA GLIDE COMFORT INNER SOLE
METAL-FREE WITH CARBON TOE CAP	BLUE STRIPS FOR AESTHETIC DESIGN
ESD - ELECTROSTATIC DISCHARGE	

GLIDE SKY

GLIDE SILVER REFLECT

SIP-SRC-ESD SIP-SRC-ESD



STYLE CODE: JCB098S
SANS 30045: 2014 & CE EN ISO 20345: 2004 APPROVED

BLACK RIP TEK TEXTILE FABRIC	KEYLAR MIDDLESOLE FOR ANTI PENETRATION
LIGHT WEIGHT FLEX FOAM DUAL DENSITY PULPU SOLE FOR SUPERIOR COMFORT	LYCRA GLIDE COMFORT INNER SOLE
METAL-FREE WITH CARBON TOE CAP	SILVER REFLECTIVE STRIPES FOR INCREASED VISIBILITY
ESD - ELECTROSTATIC DISCHARGE	



STYLE CODE: JCB098A
SANS 30045: 2014 & CE EN ISO 20345: 2004 APPROVED

ROP TEK TEXTILE FABRIC	KEYLAR MIDDLESOLE FOR ANTI PENETRATION
LIGHT WEIGHT FLEX FOAM DUAL DENSITY PULPU SOLE FOR SUPERIOR COMFORT	LYCRA GLIDE COMFORT INNER SOLE
METAL-FREE WITH CARBON TOE CAP	FEMININE STYLING
ESD - ELECTROSTATIC DISCHARGE	

WARRIOR

SS-SRA



UNIQUE SHIN GUARDS
for increased impact resistance

UNIQUE JCB DEFLECT META-GUARD
FOUR CHANNEL FORMATION FOR INCREASED IMPACT RESISTANCE
SILICONE CHANNEL FOR INCREASED REBOUND

STEEL MIDDLESOLE
for penetration resistance

STEEL TOE CAP
PROTECTION

SPECIALIZED CLEATS
with enhanced water and mud dispersion

HEAVY DUTY SOLE
for longer lasting durability



STYLE CODE: JCB093
SANS 30045: 2014 & CE EN ISO 20345: 2004 APPROVED

STEEL MIDDLESOLE FOR PENETRATION RESISTANCE	heavy duty sole for longer lasting durability
UNIQUE JCB DEFLECT META-GUARD FOUR CHANNEL FORMATION FOR INCREASED IMPACT RESISTANCE	SPECIALIZED CLEATS with enhanced water and mud dispersion
ESD - ELECTROSTATIC DISCHARGE	

GLIDE BLACK

SIP-SRC-ESD SIP-SRC-ESD



STYLE CODE: JCB095
SANS 30045: 2014 & CE EN ISO 20345: 2004 APPROVED

BLACK RIP TEK TEXTILE FABRIC	KEYLAR MIDDLESOLE FOR ANTI PENETRATION
LIGHT WEIGHT FLEX FOAM DUAL DENSITY PULPU SOLE FOR SUPERIOR COMFORT	LYCRA GLIDE COMFORT INNER SOLE
METAL-FREE WITH CARBON TOE CAP	AVAILABLE IN SIZES 4-12
ESD - ELECTROSTATIC DISCHARGE	



STYLE CODE: JCB096
SANS 30045: 2014 & CE EN ISO 20345: 2004 APPROVED

BLACK RIP TEK TEXTILE FABRIC	KEYLAR MIDDLESOLE FOR ANTI PENETRATION
LIGHT WEIGHT FLEX FOAM DUAL DENSITY PULPU SOLE FOR SUPERIOR COMFORT	LYCRA GLIDE COMFORT INNER SOLE
METAL-FREE WITH CARBON TOE CAP	BLUE STRIPS FOR AESTHETIC DESIGN
ESD - ELECTROSTATIC DISCHARGE	

GLIDE SKY

S.W.A.T DESERT

NON-STEEL TOE CAP NON-STEEL TOE CAP



STYLE CODE: JCB091
PRODUCT SPECIFICATIONS:

PREMIUM QUALITY SUEDE WITH OXFORD MESH	SOFT TOE
EVA RUBBER OUTSOLE FOR TRACTION & LONG-LASTING WEAR	SIZE SIP AND YELCRO FOR QUICK WEAR
QUICK RELEASE & BOUND EYELETS	BELLOTTED TONGUE TO SEAL OUT DERRIS
COMFORT PADDED ANKLE COLLAR	SLIP RESISTANT
	REMOVABLE COMFORT INNER SOLE
AVAILABLE IN SIZES 5-12	

S.W.A.T BLACK

STYLE CODE: JCB092
PRODUCT SPECIFICATIONS:

PREMIUM FULL GRAIN LEATHER WITH OXFORD MESH	SOFT TOE
EVA RUBBER OUTSOLE FOR TRACTION & LONG-LASTING WEAR	SIZE SIP AND YELCRO FOR QUICK WEAR
QUICK RELEASE & BOUND EYELETS	BELLOTTED TONGUE TO SEAL OUT DERRIS
COMFORT PADDED ANKLE COLLAR	SLIP RESISTANT
	REMOVABLE COMFORT INNER SOLE
AVAILABLE IN SIZES 5-12	

CHELSEA CLASSIC BROWN

NON-STEEL TOE CAP

NON-STEEL TOE CAP



STYLE CODE: JC3880
PRODUCT SPECIFICATIONS:

SOFT TOE

PREMIUM FULL GRAIN LEATHER ELASTICATED SIDE PANEL & PULL TABS FOR EASY DONNING & DOFFING
EVA RUBBER SOLE FOR TRACTION & LONG-LASTING WEAR REMOVABLE COMFORT INNER SOLE
UNLINED FOR INSTANT COMFORT & DURABILITY AVAILABLE IN SIZES 6-12

CHELSEA CLASSIC BLACK

NON-STEEL TOE CAP

SOFT TOE

PREMIUM FULL GRAIN LEATHER ELASTICATED SIDE PANEL & PULL TABS FOR EASY DONNING & DOFFING
EVA RUBBER SOLE FOR TRACTION & LONG-LASTING WEAR REMOVABLE COMFORT INNER SOLE
UNLINED FOR INSTANT COMFORT & DURABILITY AVAILABLE IN SIZES 6-12

DESERT TAN LACE UP

NON-STEEL TOE CAP

NON-STEEL TOE CAP



STYLE CODE: JC3882
PRODUCT SPECIFICATIONS:

SOFT TOE

BREATHABLE WATER RESISTANT LEATHER UPPER REMOVABLE COMFORT INNER SOLE
SELF-MOULDING FLEXIBLE SOFT RAW HIDE AVAILABLE IN SIZES 3-13
STITCHED SOLE

DESERT BROWN LACE UP

NON-STEEL TOE CAP

SOFT TOE

BREATHABLE WATER RESISTANT LEATHER UPPER REMOVABLE COMFORT INNER SOLE
SELF-MOULDING FLEXIBLE SOFT RAW HIDE AVAILABLE IN SIZES 3-13
STITCHED SOLE

CHELSEA BLACK

NON-STEEL TOE CAP

NON-STEEL TOE CAP



INCLUDES ONE PAIR FREE WORK GLOVES

STYLE CODE: JC3884
PRODUCT SPECIFICATIONS:

SOFT TOE

NATURALLY SOFT EXTRA THICK PREMIUM QUALITY FULL GRAIN LEATHER RUBBER OUTSOLE FOR TRACTION & LONG-LASTING WEAR
UNLINED FOR INSTANT COMFORT & DURABILITY ELASTICATED SIDE PANEL & PULL TABS FOR EASY DONNING & DOFFING
ULTRA-LIGHT EVA SOLE FOR MAXIMUM CUSHIONING & COMFORT ULTRA COMFORT PERFORMANCE INNER SOLE
AVAILABLE IN SIZES 3-13



INCLUDES ONE PAIR FREE WORK GLOVES

STYLE CODE: JC3887
PRODUCT SPECIFICATIONS:

SOFT TOE

GENUINE MUDCRACK LEATHER RUBBER OUTSOLE FOR TRACTION & LONG-LASTING WEAR
UNLINED FOR INSTANT COMFORT & DURABILITY ELASTICATED SIDE PANEL & PULL TABS FOR EASY DONNING & DOFFING
ULTRA-LIGHT EVA SOLE FOR MAXIMUM CUSHIONING & COMFORT ULTRA COMFORT PERFORMANCE INNER SOLE
AVAILABLE IN SIZES 3-13

DESERT TAN SLIP ON

NON-STEEL TOE CAP

NON-STEEL TOE CAP



STYLE CODE: JC3883
PRODUCT SPECIFICATIONS:

SOFT TOE

BREATHABLE WATER RESISTANT LEATHER UPPER ELASTICATED SIDE PANEL & PULL TAB FOR EASY DONNING & DOFFING
SELF-MOULDING FLEXIBLE SOFT RAW HIDE REMOVABLE COMFORT INNER SOLE
STITCHED SOLE AVAILABLE IN SIZES 3-13

DESERT BROWN SLIP ON

NON-STEEL TOE CAP

SOFT TOE

BREATHABLE WATER RESISTANT LEATHER UPPER ELASTICATED SIDE PANEL & PULL TAB FOR EASY DONNING & DOFFING
SELF-MOULDING FLEXIBLE SOFT RAW HIDE REMOVABLE COMFORT INNER SOLE
STITCHED SOLE AVAILABLE IN SIZES 3-13

LEGACY CHELSEA BROWN

NON-STEEL TOE CAP

NON-STEEL TOE CAP



INCLUDES ONE PAIR FREE WORK GLOVES

STYLE CODE: JC3889
PRODUCT SPECIFICATIONS:

SOFT TOE

ROUGH FULL GRAIN LEATHER ELASTICATED SIDE PANEL & PULL TABS FOR EASY DONNING & DOFFING
DURABLE ULTRA GRIP RUBBER SOLE HEXAGON EYELETS
NON-STEEL TOE CAP REMOVABLE COMFORT INNER SOLE


LEGACY HALF BOOT

NON-STEEL TOE CAP

SOFT TOE

ROUGH FULL GRAIN LEATHER HEXAGON EYELETS
DURABLE ULTRA GRIP RUBBER SOLE REMOVABLE COMFORT INNER SOLE
NON-STEEL TOE CAP AVAILABLE IN SIZES 3-13

HIGH PERFORMANCE INNER SOLE



SHOE SIZE CONVERSION GUIDE

UK	3	4	5	6	7	8	9	10	11	12	13
EUR	36	37	38	39	40	42	43	44	46	47	48



JCB ERGONOMIC DNA SOLE

STANDARD HARNESS: DOUBLE LEG LANYARD WITH SCAFFOLDING HOOKS
HARN001220

ONE SIZE FITS ALL

STANDARDS:
SANS 50354 | EN 258 + SANS 50355 | EN 255
SANS 50361 | EN 361 + EN 262

FEATURES:
+ Adjustable leg & chest straps
+ Shock absorbing lanyard

MATERIALS:
Harness webbing: 45mm UV-resistant polyester webbing with a minimum breaking load of 2,6 tonnes

Lanyard webbing: 45mm UV-resistant polyester webbing with a minimum breaking load of 2,6 tonnes

Lanyard length: 1,750mm when shock absorber is intact - 2,450mm when shock absorber is fully deployed

Buckles: Interlocking, corrosion-resistant steel buckles with a minimum breaking force of 18kN

Hooks: Corrosion-resistant steel scaffolding hooks with 50mm gate opening



AVAILABLE WITH STANDING STEP, HYBRID LINE

AGILIS HARNESS
HARN40000

SIZING: S | M | L | XL

STANDARDS:
SANS 50361 | EN 361 + SANS 50350 | EN 258

FEATURES:
+ 4 attachment points: Chest & dorsal D-ring with work positioning D-rings
+ Adjustable leg, waist, shoulder & chest straps
+ Padded waist
+ Standing step

MATERIALS:
Harness webbing: 45mm UV-resistant polyester webbing with a minimum breaking load of 2,6 tonnes

Padding: 5mm laminated foam to spread pressure over a larger area

Buckles: Interlocking, corrosion-resistant steel buckles with a minimum breaking force of 18kN



ARC HARNESS
HARN70000

SIZING: S | M | L | XL

STANDARDS:
SANS 50350 | EN 258 + SANS 50361 | EN 361
ASDH P987-L2 | ATPV 40Cal/cm²

FEATURES:
+ 4 Aluminium attachment points: Chest & dorsal D-ring with work positioning D-rings
+ Adjustable Aluminium quick-release buckles on the leg, waist and abdominal area with adjustable Aluminium buckles on the shoulder and back straps
+ Padding in the leg, waist, & shoulder areas
+ All attachment points, adjusters & padding are covered in full-grain leather

MATERIALS:
Harness webbing: Fire retardant & ARC flash rated, 45mm Para-aramid/Meta-aramid blended webbing

Padding: 5mm laminated foam encased in full-grain leather

Buckles: Aluminium corrosion-resistant quick-release buckles with a minimum breaking force of 18kN

D-Ring: Corrosion-resistant Aluminium D-rings with its breaking strength of 22kN



GORDIAN HARNESS
HARN50000

SIZING: S | M | L | XL

STANDARDS:
SANS 50361 | EN 361 + SANS 50350 | EN 258
SANS 50363 | EN 813

FEATURES:
+ 5 attachment points: Front waist, chest & dorsal D-ring with work positioning D-rings & Gear loops
+ Adjustable leg, waist, shoulder & back straps
+ Padding in the leg & waist areas

MATERIALS:
Harness webbing: 45mm UV-resistant polyester webbing with a minimum breaking load of 2,6 tonnes

Padding: 5mm laminated foam to spread pressure over a larger area

Buckles: Interlocking, corrosion-resistant steel buckles with a minimum breaking force of 18kN

Front Connector: Steel screw gate carabiner with a minimum breaking strength of 22kN



SPARK HARNESS
HARN60000

SIZING: S | M | L | XL

STANDARDS:
SANS 50361 | EN 361 + SANS 50350 | EN 258

FEATURES:
+ 4 attachment points: Chest & dorsal D-ring with work positioning D-rings
+ Adjustable leg, waist, shoulder & chest straps
+ Padded waist
+ Standing step

MATERIALS:
Harness webbing: 45mm UV-resistant polyester webbing with a minimum breaking load of 2,6 tonnes

Padding: 5mm laminated foam to spread pressure over a larger area

Buckles: Interlocking, corrosion-resistant steel buckles with a minimum breaking force of 18kN



LANYARDS

Double Leg Lanyard
LAN01220



SIZING: 1,750mm
STANDARDS:
SANS 50354 | EN 254
SANS 50355 | EN 255
EN 362

FEATURES:
Double leg with scarf hooks
Single leg with strap hook
Shock absorber

Adjustable Double Leg Lanyard
LAN01420



SIZING: 1,750mm
STANDARDS:
SANS 50354 | EN 254
SANS 50355 | EN 255
EN 362

FEATURES:
Adjustable double leg with scarf hooks
Single leg with screw gate carabiner
Shock absorber

Elasticated Double Leg Lanyard
LAN01620



SIZING: 1,750mm
STANDARDS:
SANS 50354 | EN 254
SANS 50355 | EN 255
EN 362

FEATURES:
Elasticated single leg with scarf hook
Single leg with strap hook
Shock absorber

THE ORIGINAL TRAX IS BACK!

We heard you! You've asked for it and now it's back. Re-introducing the Original Trax Range by popular demand! The original and loved Trax collection is back. Designed with the rugged outdoors in mind, the Trax range boasts a wide-fitting, chunky and durable sole unit that can handle the toughest terrains while providing the all-day superior comfort that earned Trax its following.

MUNICH 20002



Size	Colour	Accreditations
5-13	Black	SANS/ISO 20345 NRC/S9002/287766/0162

TOE CAP: Steel - Extra-wide Fitting
SOLE: Dual Density PU/PU (Heat resistant up to 95°C)
MIDSOLE: SMS available (20702)



BREMEN 20001



Size	Colour	Accreditations
5-13	Black	SANS/ISO 20345 NRC/S9002/287766/0162

TOE CAP: Steel - Extra-wide Fitting
SOLE: Dual Density PU/PU (Heat resistant up to 95°C)
MIDSOLE: SMS available (20701)



HIKER 20013



Size	Colour	Accreditations
5-13	Black & Walnut (HTO)	SANS/ISO 20345 NRC/S9002/287766/0146

TOE CAP: Steel - Extra-wide Fitting
SOLE: Dual Density PU/PU (Heat resistant up to 95°C)
MIDSOLE: Shank reinforcement for arch support



EXTREMEWEAR

PU/RUBBER

FIREWALK B-42003

Anti-shock Safety Boot



Sizes: 4-13
Colour: Black

- Dual Density PU/Rubber sole
- Steel toe cap
- Heat-resistant up to 300°C
- Full Grain Leather upper
- Non-conductive

SANS / ISO 20345 NRC5/9002/287766/0134
APT MIDSOLE AVAILABLE (H4602 - NRC5/9002/287766/0454)

EXTREMEWEAR

PU/RUBBER

WELDERS B-42004

Welders Safety Boot



Sizes: 4-13
Colour: Black

- Dual Density PU/Rubber sole
- Steel toe cap
- Heat-resistant up to 300°C
- Full Grain Leather upper
- Spot covering with stainless steel buckles
- Non-conductive

SANS / ISO 20345 NRC5/9002/287766/0135

HEAVYWEAR

CORE RANGE

RADICAL B-60001

Durable Safety Shoe



Sizes: 4-13
Colour: Black

- Dual Density PU/PU sole
- Steel toe cap
- Heat-resistant up to 90°C
- Genuine Split Leather upper
- Anti-static

EN / ISO 20345 NRC5/9002/287766/0165

HEAVYWEAR

CORE RANGE

HAVERICK B-60002

Durable Safety Shoe



Sizes: 4-13
Colour: Black

- Dual Density PU/PU sole
- Steel toe cap
- Heat-resistant up to 90°C
- Genuine Split Leather upper
- Anti-static

EN / ISO 20345 NRC5/9002/287766/0171
SMS AVAILABLE (S0702 - NRC5/9002/287766/0290)

EXTREMEWEAR

PU/RUBBER

ROCNA B-43601

Extreme Slip Safety Shoe



Sizes: 4-13
Colour: Black

- Dual Density PU/Vibram Rubber sole
- Steel toe cap - extra-wide fitting
- Heat-resistant up to 300°C
- Full Grain Waxy Leather upper
- Anti-penetration in-sock
- Non-conductive
- Approved by the Podiatry Association of South Africa

SANS / ISO 20345 NRC5/9002/287766/0437

EXTREMEWEAR

PU/RUBBER

DROGUE B-43602

Extreme Slip Safety Boot



Sizes: 4-13
Colour: Black

- Dual Density PU/Vibram Rubber sole
- Steel toe cap - extra-wide fitting
- Heat-resistant up to 300°C
- Full Grain Waxy Leather upper
- Anti-penetration in-sock
- Non-conductive
- Approved by the Podiatry Association of South Africa

SANS / ISO 20345 NRC5/9002/287766/0437

HEAVYWEAR

CORE RANGE

NEOGRIP B-90005

Durable Safety Shoe



Sizes: 5-13
Colour: Black

- Dual Density PU/PU sole
- Steel toe cap
- Heat-resistant up to 90°C
- Full Grain Leather upper
- Anti-static

EN / ISO 20345 NRC5/9002/287766/0117
SMS AVAILABLE (90705 - NRC5/9002/287766/0434)

HEAVYWEAR

CORE RANGE

NEOFLEX B-90004

Durable Safety Boot



Sizes: 3-15
Colour: Black & Tan

- Dual Density PU/PU sole
- Steel toe cap
- Heat-resistant up to 90°C
- Full Grain Leather upper
- Anti-static

EN / ISO 20345 NRC5/9002/287766/0055
SMS AVAILABLE (90704 - NRC5/9002/287766/0433)

EXTREMEWEAR

PU/RUBBER

NEBULA B-43603

Extreme Slip Safety Boot



Sizes: 4-13
Colour: Brown

- Dual Density PU/Vibram Rubber sole
- Steel toe cap - extra-wide fitting
- Heat-resistant up to 300°C
- Full Grain Leather upper
- Anti-penetration in-sock
- Non-conductive
- Approved by the Podiatry Association of South Africa

SANS / ISO 20345 NRC5/9002/287766/0487

EXTREMEWEAR

RUBBER/RUBBER

BASALT B-7142

Safety Boot



Sizes: 4-14
Colour: Black

- Dual Compound Rubber/Rubber sole
- Steel toe cap
- Heat-resistant up to 300°C
- Full Grain Leather upper
- Elastic side gussets for ease of entering and exiting the boot
- Anti-static

SANS / ISO 20345 NRC5/9002/287766/0448

HEAVYWEAR

CORE RANGE

TRAINER B-60012

Durable Safety Shoe



Sizes: 4-12
Colour: Black

- Dual Density PU/PU sole
- Steel toe cap
- Heat-resistant up to 90°C
- Full Grain Leather upper
- Anti-static

SANS / ISO 20345 NRC5/9002/287766/0069

HEAVYWEAR

CORE RANGE

CHELSEA B-90006

Durable Safety Boot



Sizes: 3-13
Colour: Black & Brown

- Dual Density PU/PU sole
- Steel toe cap
- Heat-resistant up to 90°C
- Full Grain Leather upper
- Anti-static

EN / ISO 20345 NRC5/9002/287766/0170

HEAVYWEAR

CORE RANGE

HAMBURG B-90008

Durable Safety Shoe



Sizes: 4-12
Colour: Grey

- Dual Density PU/PU sole
- Steel toe cap
- Heat-resistant up to 95°C
- Guede Leather upper
- Anti-static

SANS / ISO 20345 NRCS/9002/287766/0116

LIGHTWEAR

UTILITY RANGE

MULTI B-71441

Utility Safety Shoe



Sizes: 5-13
Colour: Black

- Single Density PU sole
- Steel toe cap
- Heat-resistant up to 95°C
- Genuine Split Leather upper

SANS / ISO 20345 NRCS/9002/287766/0120

HEAVYWEAR

AKTIV RANGE

ATLANTIS B-30006

Metal-free Safety Shoe with Comfort Engineering



Sizes: 5-12
Colour: Black

- Dual Density PU/PU sole
- Composite toe cap - extra-wide fitting
- Heat-resistant up to 95°C
- Full Grain Leather upper
- Anti-static
- Approved by the Podiatry Association of South Africa

SANS / ISO 20345 NRCS/9002/287766/0428

LIGHTWEAR

EXECUTIVE RANGE

JARMAN B-70003

Executive Safety Shoe



Sizes: 5-12
Colour: Black

- Single Density PU sole
- Steel toe cap
- Heat-resistant up to 95°C
- Full Grain Leather upper
- Anti-static

EN / ISO 20345 SANS / ISO NRCS/9002/287766/0409

LIGHTWEAR

UTILITY RANGE

ADAPT B-71442

Utility Safety Boot



Sizes: 5-13
Colour: Black

- Single Density PU sole
- Steel toe cap
- Heat-resistant up to 95°C
- Genuine Split Leather upper

SANS / ISO 20345 NRCS/9002/287766/0119

HEAVYWEAR

AKTIV RANGE

COLUMBIA B-30005

Metal-free Safety Boot with Comfort Engineering



Sizes: 5-12
Colour: Black

- Dual Density PU/PU sole
- Composite toe cap - extra-wide fitting
- Heat-resistant up to 95°C
- Full Grain Leather upper
- Anti-static
- Approved by the Podiatry Association of South Africa

SANS / ISO 20345 NRCS/9002/287766/0288

HEAVYWEAR

TRAX RANGE

TAHOE Z1021

Advanced Comfort Safety Shoe



Sizes: 5-13
Colour: Black

- Dual Density PU/PU sole
- Steel toe cap - extra-wide fitting
- Heat-resistant up to 95°C
- Full Grain Leather upper
- Anti-static

EN / ISO 20345 NRCS/9002/287766/0432

HEAVYWEAR

TRAX RANGE

BREMEN 2.0 B-21001

Advanced Comfort Safety Shoe



Sizes: 5-13
Colour: Black

- Dual Density PU/PU sole
- Steel toe cap - extra-wide fitting
- Heat-resistant up to 95°C
- Full Grain Leather upper
- Anti-static

EN / ISO 20345 NRCS/9002/287766/0446
SMS AVAILABLE (21701 - NRCS/9002/287766/0449)

HEAVYWEAR

TRAX RANGE

HIKER 2.0 Z1013

Advanced Comfort Safety Boot



Sizes: 5-13
Colour: Black and Brown

- Dual Density PU/PU sole
- Steel toe cap - extra-wide fitting
- Heat-resistant up to 95°C
- Full Grain Leather upper
- Anti-static

EN / ISO 20345 NRCS/9002/287766/0390

HEAVYWEAR

TRAX RANGE

MUNICH 2.0 B-21002

Advanced Comfort Safety Boot



Sizes: 5-13
Colour: Black

- Dual Density PU/PU sole
- Steel toe cap - extra-wide fitting
- Heat-resistant up to 95°C
- Full Grain Leather upper
- Anti-static

EN / ISO 20345 NRCS/9002/287766/0447
SMS AVAILABLE (21702 - NRCS/9002/287766/0450)

ACCESSORIES



BOVA SOX FOR MEN

- Anti-bacterial
- Anti-static
- Available to purchase separately
- Included with footwear where the FREE BOVA SOX logo is shown

ACC13677



BOVA FREEZER SOX FOR MEN

- Anti-bacterial
- Anti-static
- Available to purchase separately

ACC13680



SMELTERS SOX FOR MEN

- Wool sock
- Anti-bacterial
- Flame-retardant
- Moisture-wicking
- Recommended for high heat conditions

ACC13672



FOOTLOGY SOX UNISEX ANKLET

- Anti-bacterial
- Anti-static
- Sizing: 4-8, 9-12

ACC13667

**PROVEN
PERFORMANCE
IN THE FIELD.**



HAWK STC
8024



SOLE: RAPTOR SOLE UNIT
TOE CAP: EXTRA WIDE STEEL TOE CAP 200J
COLOUR: BLACK/GREY
SIZES: 5-12

SANS/ISO 20345



EAGLE STC
8025



SOLE: RAPTOR SOLE UNIT
TOE CAP: EXTRA WIDE STEEL TOE CAP 200J
COLOUR: BLACK/GREY
SIZES: 5-12

SANS/ISO 20345



**OSPREY HIKER
STC**
8038



SOLE: RAPTOR SOLE UNIT
TOE CAP: EXTRA WIDE STEEL TOE CAP 200J
COLOUR: BLACK OR TAN
SIZES: 5-12

SANS/ISO 20345



MAXECO SMS
8011




SOLE: MAXECO SOLE UNIT
TOE CAP: WIDE STEEL TOE CAP 200J
MIDSOLE: STEEL
COLOUR: BLACK
SIZES: 5-12

SANS/ISO 20345



MAXECO
8031



SOLE: MAXECO SOLE UNIT
TOE CAP: WIDE STEEL TOE CAP 200J
COLOUR: BLACK OR TAN
SIZES: 2-13

SANS/ISO 20345



**MAXECO
METAGUARD**
8061




SOLE: MAXECO SOLE UNIT
TOE CAP: WIDE STEEL TOE CAP
COLOUR: BLACK
SIZES: 3-12

SANS/ISO 20345



ROBUST
8102



SOLE: MAXECO SOLE UNIT
TOE CAP: WIDE STEEL TOE CAP 200J
COLOUR: BLACK
SIZES: 3-12

SANS/ISO 20345



ZEUS
8115




SOLE: GLADIUS SOLE UNIT
TOE CAP: WIDE STEEL TOE CAP 200J
COLOUR: BLACK OR BROWN
SIZES: 3-13

SANS/ISO 20345

ZEUS SOFT TOE
STYLE NO: 8116



EROS
8088



SOLE: GLADIUS SOLE UNIT
TOE CAP: WIDE STEEL TOE CAP 200J
COLOUR: BLACK
SIZES: 5-12

SANS/ISO 20345




TURTLE
8132




SOLE: GLADIUS SOLE UNIT
TOE CAP: WIDE STEEL TOE CAP 200J
COLOUR: BLACK
SIZES: 5-12

SANS/ISO 20345



CLOG
8009

SOLE: APOLLO SOLE UNIT
TOE CAP: WIDE STEEL TOE CAP 200J
COLOUR: BLACK
SIZES: 2-12
SANS/ISO 20345


**SPORT**
8050

SOLE: APOLLO SOLE UNIT
TOE CAP: WIDE STEEL TOE CAP 200J
COLOUR: BLACK
SIZES: 2-12
SANS/ISO 20345


**TITANIUM**
4033

SOLE: RAPTOR SOLE UNIT
TOE CAP: EXTRA WIDE STEEL TOE CAP 200J
COLOUR: BLACK OR TAN
SIZES: 4-13
SANS/ISO 20345

TITANIUM STC
STYLE NO: 4033
COLOUR: BLACK OR BROWN
SIZES: 4-13

**NOMAD**
8001

SOLE: PARABOLIC SOLE UNIT
TOE CAP: EXTRA WIDE STEEL TOE CAP 200J
COLOUR: BLACK
SIZES: 5-12
SANS/ISO 20345

**QUEST**
8002

SOLE: PARABOLIC SOLE UNIT
TOE CAP: EXTRA WIDE STEEL TOE CAP 200J
COLOUR: BLACK
SIZES: 5-12

**CONCORD SHOE**
8020

SOLE: PARABOLIC SOLE UNIT
TOE CAP: EXTRA WIDE STEEL TOE CAP 200J
COLOUR: BROWN
SIZES: 5-12
SANS/ISO 20345



A SAFETY WEAR RANGE THAT IS COMFORTABLE, HIGH QUALITY AND MADE FOR WOMEN

Sydney / 51005



Full grain leather | PU Sole | Size: 3-8

Comfort, movement and quality products. Women in the agricultural industry are exposed to a lot of movement, bending and lifting while working. SiSi products are specifically designed for women, making sure that female workers are protected and comfortable at all times.

Quality features:

- Full Grain leather
- Footwear shaped for women
- Padded footwear for enhanced comfort.

SiSi
SAFETY WEAR

**FROM ONE WORKER
TO ANOTHER**

SOURCED AND MANUFACTURED
IN SOUTH AFRICA

SINGLE DENSITY RANGE 

VENICE S-51002



Sizes: 3-8
Colour: Black

- Single Density PU sole
- Steel toe cap
- Heat-resistant up to 90°C
- Full Grain Leather upper
- Anti-static

SINGLE DENSITY RANGE 

PARIS S-51003



Sizes: 3-8
Colour: Black

- Single Density PU sole
- Steel toe cap
- Heat-resistant up to 90°C
- Full Grain Leather upper with elastic side panels
- Anti-static

DOUBLE DENSITY RANGE 

JENNIFER S-55005



Sizes: 3-8
Colour: Black with Pink trim

- Double Density PU/PU sole
- Steel toe cap
- Heat-resistant up to 90°C
- Full Grain Leather upper
- Anti-static

DOUBLE DENSITY RANGE 

REESE S-55006



Sizes: 3-8
Colour: Black with Pink trim

- Double Density PU/PU sole
- Steel toe cap
- Heat-resistant up to 90°C
- Full Grain Leather upper
- Anti-static

SINGLE DENSITY RANGE 

SYDNEY S-51005



Sizes: 3-8
Colour: Brown

- Single Density PU sole
- Steel toe cap
- Heat-resistant up to 90°C
- Full Grain Leather upper with pull straps
- Anti-static

SINGLE DENSITY RANGE 

SYDNEY S-51005



Sizes: 3-8
Colour: Black

- Single Density PU sole
- Steel toe cap
- Heat-resistant up to 90°C
- Full Grain Leather upper with pull straps
- Anti-static

DOUBLE DENSITY RANGE 

NICOLE S-54001



Sizes: 3-9
Colour: Black

- Double Density PU/PU sole
- Steel toe cap
- Heat-resistant up to 90°C
- Full Grain Leather upper
- Anti-static

DOUBLE DENSITY RANGE 

CATE S-54002



Sizes: 3-9
Colour: Black

- Double Density PU/PU sole
- Steel toe cap
- Heat-resistant up to 90°C
- Full Grain Leather upper
- Anti-static


DOUBLE DENSITY RANGE 

BASI S-54092



Sizes: 3-9
Colour: Black

- Double Density PU/PU sole
- Steel toe cap
- Heat-resistant up to 90°C
- Full Grain Leather upper
- Anti-static



SINGLE DENSITY RANGE 

COURT S-53001



Sizes: 3-9
Colour: Black

- Single Density PU/PU sole
- Steel toe cap
- Heat-resistant up to 90°C
- Full Grain Leather upper
- Anti-static

SINGLE DENSITY RANGE 

OPAL S-53003



Sizes: 3-9
Colour: Black

- Single Density PU sole
- Steel toe cap
- Heat-resistant up to 90°C
- Full Grain Leather upper
- Anti-static



CHELSEA FR-10006

Features:
Size Range: 4 - 12
Colour: **Black**
Sole: **Single Density PU sole**
Heat Resistance: **Up to 95° Celsius**
Upper: **Genuine Leather - Haircoll**
Accreditation: **EN/ISO 20345**



ECONO-TUFF FR-4555

Features:
Size Range: 4 - 13
Colour: **Black**
Sole: **PU Sole**
Heat Resistance: **Up to 95° Celsius**
Upper: **Genuine Leather - Barton Print**
Accreditation: **EN/ISO 20345**



PUMBA FR-8401

Features:
Size Range: 3 - 12
Colour: **Black**
Sole: **Generic PU Dual Density Sole**
Heat Resistance: **Up to 95° Celsius**
Upper: **Genuine Leather- Barton Print**
Tongue: **Full Bellow's Tongue**
Accreditation: **EN 20345**



ADDO FR-8402

Features:
Size Range: 3 - 12
Colour: **Black**
Sole: **Generic PU Dual Density Sole**
Heat Resistance: **Up to 95° Celsius**
Upper: **Genuine Leather- Barton Print**
Tongue: **Full Bellow's Tongue**
Accreditation: **EN 20345**



GEO-TREAD FR-2911

Features:
Size Range: 4 - 12
Colour: **Black**
Sole: **Frans Level 2 PU Dual Density Sole**
Heat Resistance: **Up to 95° Celsius**
Upper: **Genuine Leather - Barton Print**
Tongue: **Gibson Style**
Accreditation: **SANS/ISO 20345**



GEO-TREK FR-4911

Features:
Size Range: 4 - 13
Colour: **Black**
Sole: **Frans Level 2 PU Dual Density Sole**
Heat Resistance: **Up to 95° Celsius**
Upper: **Genuine Leather - Barton Print**
Tongue: **Full Bellow's Tongue**
Accreditation: **SANS/ISO 20345**

PROFIT
SAFETY FOOTWEAR

For Africa's Workforce



SCARLET P-LS01

BLACK LADIES SAFETY BOOT
with lightweight, SRC non-slip sole

Size 2-9 Ladies



CHARLOTTE P-LS02

BLACK LADIES SAFETY SHOE
with lightweight, SRC non-slip sole

Size 2-9 Ladies



* All styles are Steel Toe Cap



BLACK GOLIATH 2 P-JS04-2

HIGH BLACK HIKER BOOT
with extra Ankle protection and speed lacing

Size 5-13 Unisex



* All styles are Steel Toe Cap

ALL WHEEL DRIVE P-AS01

BLACK SAFETY SNEAKER
with Scuff Resistant Leather Upper

Size 2-15 Unisex



SILK P-LS05

LIGHTWEIGHT LADIES SLIP ON SAFETY SHOE
with lightweight, SRC super non-slip sole

Size 2-9 Ladies



SUN P-LS07

LIGHTWEIGHT LADIES SLIP ON CHELSEA
with lightweight, SRC super non-slip sole

Size 2-9 Ladies



ASSASSIN P-JS06

BROWN CHELSEA BOOT
Slip on with Oily Waxy Leather

Size 2-15 Unisex



BAGHEERA P-JS07

BLACK CHELSEA BOOT
Slip on with Oily Waxy Leather

Size 2-15 Unisex



PARSON P-JS01 S1 ***NEW**

BLACK SAFETY BOOT
with Steel Midsole or Non Metallic Toe Cap and Midsole

Size 2-15 Unisex



LYNX P-JS02

BLACK SAFETY SHOE
with penetration resistant Steel Midsole

Size 2-15 Unisex



FLAME P-JS10

ARC FLASH RESISTANT SAFETY BOOT
with anti-puncture material midsole & 300°C heat resistant sole

Size 5-15 Mens



TERRAPIN P-MR02

METAGUARD CHELSEA BOOT
with anti-puncture material midsole & 300°C heat resistant sole

Size 5-15 Mens



HOBO P-JS03 BOOT

BLACK ECONO SAFETY BOOT
with Genuine Leather and Dual Density PU

Size 2-15 Unisex



HOBO P-JS03 SHOE

BLACK ECONO SAFETY SHOE
with Genuine Leather and Dual Density PU

Size 2-15 Unisex



GOLIATH P-JS04

BLACK HIKER BOOT
with super flexible sole and easy lacing

Size 2-15 Unisex



TARANTULA P-JS05 BOOT

BLACK WEATHERPROOF BOOT
with 300°C heat resistant sole

Size 2-15 Unisex



**AFRICA'S
HARDEST
WORKING
BOOTS**

© www.rebelsafetygear.com



CODE R-1280 | SIZES 2-14
KONTRAKTA BOOT
Affordable work boot



S1

Features

2000-wattn toe cap



CODE R-1205 | SIZES 2-13
KONTRAKTA SHOE
Affordable work shoe



S1

Features

2000-wattn toe cap



CODE R-FX2 S1P | SIZES 2-14
FX2-S1P BOOT
General purpose work boot



S1P

Features

Steel toe for anti-penetration



CODE R-FX2 Shoe | SIZES 2-13
FX2-SHOE
General purpose work shoe



S1P

Features

Stitch - lasts from a size 2



CODE R-4260K | SIZES 2-13
APEX BOOT

Non-metallic, heat resistant S2 boot



S2

Features

Heat resistant up to 300°C | S2 water resistant leather and anti-penetration protection, while also non-metallic



CODE R-322107 | SIZES 2-8
LADIES RUGGED BOOT

Ladies S2 Rugged non-metallic boot



S2

Features

Water resistant | Heat - Stable high density mesh for anti-penetration | Heat resistant up to 300°C



CODE R-FX2 | SIZES 2-13
CHELSEA BOOT

Chelsea work boot with anti-penetration



S1

Available in brown

Features

Steel toe for anti-penetration



CODE R-811 | SIZES 2-16
CHUKKA BOOT

The iconic work boot



S1

Available in brown

Features

Water resistant up to 100°C | The modulus polypropylene (TPU) toe bumper for added anti-penetration



CODE R-200 | SIZES 2-14
CHUKKA SHOE
The iconic work shoe



SI

Features
Non-slip rubber sole | Thermoplastic polyurethane (TPU) toe bumper for added work protection



CODE R-204 | SIZES 3-12
HIKER HI
Superior work boot



SI

Available in black

Features
Adventure and outdoor styling



CODE R-424 | SIZES 4-12
EXPEDITION HI
High performance outdoor styled safety boot



SI

Available in brown

Features
Water resistant upper | Steel toeplate for anti-penetration | Adventure and outdoor styling



CODE R-425 | SIZES 6-12
EXPEDITION LO
High performance outdoor styled safety shoe



SI

Features
Water resistant upper | Steel toeplate for anti-penetration | Adventure and outdoor styling



CODE R-203 | SIZES 3-12
HIKER LO
Superior work shoe



SI

Features
Adventure and outdoor styling



CODE R-0008 | SIZES 4-12
ENDUROMAX
Sport styled safety shoe



SI

Features
Up to 6 hour moisture up to 300° | Electrostatic discharge (ESD)



CODE R-202 | SIZES 4-12
CLASSIC SHOE
Classic styled formal work shoe



SI

Features
2000 volt static up



CODE R-452 | SIZES 3-14
CRAZY HORSE
Stylish work boot with supreme comfort



SI

Available in black & tan

Features
Genuine leather resistant up to 300° | Ultra-thin insole with REBEL Platinum footbed (memory foam) providing maximum comfort | Steel toeplate for anti-penetration



CODE R-042 | SIZES 5-12
LIGHT INDUSTRIAL
Lightweight and stylish safety shoe



SI

Features
ESD insole | Electrostatic discharge (ESD)



CODE R-210 | SIZES 4-12
DYNAPRO
Super-stylish Fly-Mesh safety shoe



SI

Features
Non-slip rubber sole | Thermoplastic polyurethane (TPU) toe bumper for added work protection



CODE R-420 | SIZES 4-12
HI TOP BOOT
Trendy sneaker styled safety boot



SI

Available in black

Features
ESD static shoe up



CODE R-426 | SIZES 6-12
LO TOP SAFETY SHOE
Trendy sneaker styled safety shoe



SI

Available in black

Features
Electrostatic discharge (ESD)



CODE R-011 | SIZES 3-15
HAWK

Close quarter combat work boot

13

Features

Heavy duty canvas has water resistant coating which allows breathability and quick drying | Quick release laces | 9X side eye | Steel toe | 60 mil sole



CODE R-002 | SIZES 4-14
THERMOTRAK

Heat resistant work boot

14

Features

Canvas is heat resistant up to 500° | Built in mechanical heel to prevent against splines and walking quills



CODE R-VOS | SIZES 2-13+
OVERSHOE

Unisex safety-visor overshoe

Features

Ultra adjustable strap and lightweight, unisex design | 100% anti-slip design, durable and flexible rubber sole



CODE R00F0-02 | SIZES 3-14
PLATINUM FOOTBED

Features

As for the standard footbed, plus extra comfort | Patent® inserts used worldwide for general orthopaedic problems



CODE R-041 | SIZES 3-8
LIGHT INDUSTRIAL

Lightweight and stylish safety shoe

15

Features

Full insole | Canvas is heat resistant up to 120° | Electrostatic discharge (ESD)



CODE R-074 | SIZES 3-8
ZARI

Ladies safety shoe with Micro strap

16

Features

Micro strap for grip



SIZES 28-48
TECH GEAR TROUSERS

Ultra durable technical trousers

DESERT DUST, CODE R-TRE0
GLN METAL, CODE R-TROM
RAVEN BLACK, CODE R-TREK

Features

High stretch canvas in a cotton fabric with a high density polypropylene thread woven into it, making it easier to care for and more | Green system utility pockets



CODE R-TGAR | SIZES 28-48
TECH GEAR TROUSER - AIR FORCE BLUE

Ultra durable technical trousers



Features

Flame resistant and anti-static, making it ideal for applications for working and acid environments | Green system utility pockets



CODE R-048 | SIZES 3-8
THULI

Ladies Chelsea safety boot

17

Features

Heat resistant up to 140°



CODE R-080 | SIZES 3-8
KITO

Ladies slip-on safety shoe

18

Features

ESD rated toe cap



SIZES 28-48
TECH GEAR SHORTS

Ultra durable technical trousers

DESERT DUST, CODE R-SH00
GLN METAL, CODE R-SH0M

Features

High stretch canvas in a cotton fabric with a high density polypropylene thread woven into it, making it easier to care for and more | Green system utility pockets

YOU NEED TO FOCUS.
LET THE PROPANE TAKE CARE OF THE REST.



M-11

PROPANE 2.0 ST

BLACK OR BROWN FULL GRAIN LEATHER
• STEEL TOE CAP
• DURABLE RUBBER SOLE + SRX FOR EXTREME SLIP RESISTANCE

SIZES 6 - 12

THE PROPANE

CATFOOTWEAR.CO.ZA

[WORK PRODUCT]
SOUTH AFRICA



M-03

ABBY ST

LADIES

TAN WATERPROOF NUBUCK
• STEEL TOE CAP
• DURABLE RUBBER OUTSOLE

SIZES 6 - 8



M-08

FRAMEWORK ST

WP NUBUCK LEATHER
• STEEL TOE CAP
• DURABLE RUBBER OUTSOLE

SIZES 6 - 12



M-04

MAE ST

LADIES

WP FULL GRAIN LEATHER
• STEEL TOE CAP
• DURABLE RUBBER OUTSOLE

SIZES 6 - 8



M-09

PNEUMATIC 2.0 ST

WP FULL GRAIN LEATHER
• STEEL TOE CAP
• DURABLE RUBBER OUTSOLE + SRX FOR EXTREME SLIP RESISTANCE

SIZES 6 - 12



M-14

DIAGNOSTIC 2.0 ST

WP FULL GRAIN LEATHER
• STEEL TOE CAP
• DURABLE RUBBER OUTSOLE + SRX FOR EXTREME SLIP RESISTANCE

SIZES 6 - 12



M-26

STRIVER BUMP ST

FULL GRAIN LEATHER
• STEEL TOE CAP
• DUAL DENSITY PU SOLE

SIZES 6 - 12



M-17

CROSSRAIL 2.0 CT

FULL GRAIN LEATHER
• COMPOSITE TOE
• DURABLE RUBBER OUTSOLE + SRX FOR EXTREME SLIP RESISTANCE

SIZES 6 - 12



M-20

IMPACT HIKER WP

WP FULL GRAIN LEATHER
• CARBON COMPOSITE TOE
• DURABLE RUBBER OUTSOLE + SRX FOR EXTREME SLIP RESISTANCE

SIZES 6 - 12



© 2023 CAT, CATERPILLAR, LET'S DO THE WORK, their respective logos, "Caterpillar Corporate Yellow", the "Power Edge" and Cat, "Workwear" trade dress, as well as corporate and product identity used herein, are trademarks of Caterpillar and may not be used without permission. Cat and Caterpillar are registered trademarks of Caterpillar Inc. DISTRIBUTION is an authorized distributor of the following licenses of Caterpillar Inc.: USA Apparel Limited, Workwear World wide, Inc. and Green Up Limited. S.P.A.



GUMBOOT SPECIALIST SINCE 1940



Egoli 1
W-1270
Sizes 3 - 14
Steel toe cap
Available in Non-Steel
Toe Cap W-1280



Ankle Miner Lace Up
W-1880
Sizes 3 - 12
Steel toe cap



Gripper
W-1210
Sizes 3 - 12
Steel toe cap

For 80 years and counting, WAYNE has focused on what we do best - gumboots, and gumboots only - allowing us to become pioneers in our industry, delivering consistently excellent and innovatively designed gumboots that are manufactured from world-class materials and components.



**Duralight
Ladies 1**
W-1661
(Without STC)

Size ranges: 3 - 8
Upper: PVC
Sole: PVC
Colours: Black upper / Black sole



Egoli 1
W-1270
(STC)

Size range: 3 - 14
Upper: PVC upper
Sole: PVC sole
Colours: Black / Toffee



**Men's
Chelsea HD**
W-1506
(STC)

Size ranges: 3 - 10
Upper: PVC upper
Sole: PVC / Nitrile sole
Colours: Black upper / Toffee sole



**Duralight
Men's 1**
W-1040
(Without STC)

Size range: 5 - 12
Upper: PVC upper
Sole: PVC sole
Colours: Black upper / Black sole



**Duralight
Ladies 2**
W-1681
(Without STC)

Size range: 3 - 8
Upper: PVC / Nitrile upper
Sole: PVC / Nitrile sole
Colours: White upper / Red sole



**Duralight
Men's 2**
W-1030
(Without STC)

Size range: 5 - 12
Upper: PVC / Nitrile upper
Sole: PVC / Nitrile sole
Colours: White upper / Red sole

